

Hantavirus Outbreaks in High-Risk Areas and Public Health Response

Epidemiology

Authors: Caile Lee, Polina Gutnik, Xarina Y. Zaqtan, Roy Kim

Editor: Irene Lee

1. Introduction

Hantavirus is a zoonotic disease, meaning that transmission occurs between humans and animals. Thus, natural interactions make disease control more challenging—beyond measures centered around human infection and transmission, approaches must focus on the broader environment, encompassing both animals and insects. Hantavirus remains a critical issue in the Greater Bay Area (GBA), an area characterized by high population density and mobility as a major travel and trade hub. This paper examines the current public health framework aimed at combating hantavirus in the GBA and further proposes measures that can strengthen existing approaches.

1.1 Root Causes of the Hantavirus

The Andes virus is a specific strain of the genus *Orthohantavirus*, primarily found within the Argentinian and Chilean regions. This strain can be transmitted via inhalation of airborne particles from urine, saliva, or excrement of infected rodents or prolonged human-to-human contact, with fatality rates as high as 50% (WHO). The Hantavirus Pulmonary Syndrome (HPS) is the primary disease caused by the Andes virus, where symptoms—fever, fatigue, muscle aches in large muscle groups like the thighs, hips, and back, and sometimes shoulders, severe shortness of breath, and fluid in lungs—often appear within 4 to 42 days after exposure, while no anti-viral vaccinations currently exist (CDC); recognizing these warning signs and seeking immediate medical care is critical for survival. According to the World Health Organization (WHO), there have been a minimum of 11 documented deaths and 2 probable ones from the hantavirus globally as of June 24th, 2026.

1.2 Emergence of the Virus

This new, resurging, life-threatening pathogen was recently documented aboard a cruise ship traversing across the South Atlantic. The vessel departed from Ushuaia, Argentina, on April 1st, 2026, with several stops at Antarctica and other remote islands (WHO). On May 2nd, initial reports of the hantavirus were made public by the WHO, indicating that onboard passengers were exhibiting signs of the HPS. However, given the occurrence of this incident, the resurgence of this pathogen did not originate from the cruise itself. Rather, emerging ecological and climate change were believed to facilitate the new outbreak. Climate change has been linked to altered precipitation rates and temperature shifts, which can expand rodent habitats and population dynamics, leading to higher rates of human contact with zoonotic pathogens (Koch et al.).

1.3 Impact on the GBA Region

While the Andes virus remains absent within the Greater Bay Area (GBA), other strains of the hantavirus have been identified and shown to be relevant to the GBA. Both Seoul Virus (SEOV) and Hantaan Virus (HNTV) have been present in Guangzhou, often associated with Hemorrhagic Fever with Renal Syndrome (HFRS). A study conducted between 2015 and 2023 by Wu LiNa et al. found that genetic characteristics of hantavirus have been detected in patients with HFRS within the region of Shenzhen city. While the SEOV shows higher dominance, the HNTV shows a higher mutation rate, with new virus subtypes within 8 years—a finding that raises concerns about long-term vaccination immunity. The authors conclude that imported HNTV cases continue to occur, suggesting possible ongoing transmission risks. Additionally, a 2014 study conducted by Gao YunXia et al. on small mammals suggests that although no plague infections were found amongst small mammals, high hantavirus-carrying rates were found in several entry-exit ports. Noting that prevention measures should be taken into consideration to prevent the rodent-borne diseases from spreading.

1.4 Significance of the Issue and Broader Implications

Given the GBA's major role as a travel and trade hub, these findings raise significant concerns regarding entry-exit ports such as airports and seaports, posing substantial risks of cross-border contamination as international travelling and trading continue to expand. Among urban areas across the globe, these findings imply that public health authorities should remain vigilant at all times, as rodent-borne diseases can become widespread unknowingly with rapidly mutating virus

subtypes. The abrupt outbreak of this virus serves as a severe warning globally, once again highlighting the criticality and importance of safety precautions.

Considering the persistent risks within GBA, current health policies should be reviewed, while effective frameworks should expand beyond human healthcare to address the aforementioned implications during outbreaks.

2. Identification and Evaluation of Existing Policies

In order to prevent and minimize outbreaks of the hantavirus in high-risk areas, the Pearl River Delta region has developed a 'One Health' framework similar to that of the overall Chinese government. This framework targets not only human, but also animal and environmental information to form guidelines, which aid in preventing mass outbreaks.

2.1 Human Initiative

Human initiative practices set includes border screening and educational promises within the Pearl River Delta region. Vector screening and quarantining are deemed necessary for all people crossing borders between other nations through airports or stations. At these border crossings, intense health inspections are done to ensure no risks of zoonotic infections, such as the hantavirus, are exposed to the citizens of the respective region. Additionally, these borders maintain strong communication and a persistent collection of data following the Pearl River Declaration for enhancing health procedures (Alam et al.). Alongside this, Centers for Disease Control and Prevention's prevention guidelines are actively being distributed to citizens, promoting public health awareness and actions against hantavirus outbreaks in the local region (CDC).

Human initiative has shown strong results in the protection against the widespread outbreaks of hantavirus in high-risk areas. Border control addresses the problem before it can escalate, while educational awareness benefits individuals and their knowledge. However, these preventative regulations do not consider what protocols should be taken in the case of an outbreak. This diminishes the purpose of such strict procedures once the outbreak has officially taken place and emphasizes the importance of after-occurrence management plans.

2.2 Animal Initiative

Procedures are currently being put in place to test animals, such as rodents, that carry and spread the hantavirus disease in these high-risk areas. These tests aid in monitoring blood vitals and population densities of the rodents in order to track possible areas of greater risk after a potential outbreak in the Pearl River Delta region. Additionally, collaboration between other regions of China, including the northern areas, is initiated to share data and compare virus types across

rodents to better help research towards common variations and possible vaccination plans against these variations.

These tests placed on rodents have proven beneficial, as scientists are noting an increasing rate of one variation of hantavirus in the region. However, there are no current functional vaccinations in place to help distinguish the illness (UCHealth). With only information showing that there is an increase in the rate of the virus in rodents and no further plan on how to act against it, the animal initiatives hold many limitations in their research.

2.3 Environmental Initiative

The limited action that has been set in place to work against these rodent illnesses is through environmental control of their breeding locations. Waste management and clean-up zones are placed across the Pearl River to ensure a safer environment for those actively coming in contact with these zones. The strong improvement in sanitation helps tackle the problem through both animal and environmental initiatives. However, the few limitations include potential risk and spread of the illness through cleaners who may expose the virus to other zones (World Bank Group).

3. Alternative Approaches

The Pearl River Delta's 'One Health' framework showcases a comprehensive attempt to minimize the outbreak of hantavirus through human-, animal-, and environment-relevant strategies. While the framework does reflect strong preventative potential, its effectiveness is limited by insufficient planning, underdeveloped animal intervention strategies, and gaps in environmental safety protocols, as mentioned above. Addressing these limitations by proposing alternative ways would significantly enhance its overall impact.

3.1 Strengthening Human Outbreak Response

To address the absence of clear outbreak-response protocols in border screening and public health education, health systems should incorporate structured emergency responses. This includes, but is not limited to, early case recognition, rapid isolation, and strict infection control measures. Emphasized by the World Health Organization (WHO), "early recognition of suspected cases, prompt isolation, and consistent adherence to recommended infection prevention and control measures remain essential to protect health-care personnel." This suggests that expanding from preventative border measures such as screening and education to reactive healthcare preparedness is crucial.

3.2 Advancing Rodent Control and Vaccine Development

While heavy reliance on surveillance of rodent populations is useful for identifying trends and being more aware of potential outbreaks, it does not exactly mean direct prevention. A more effective approach would depend primarily on reducing the contacts between people and rodents. For instance, the Canadian government guidelines heavily emphasize minimizing any human contact with infected rodents through cleaning methods, proper ventilation, and rodent-proofing to avoid inhaling airborne viral particles (Canada). Practical measures include sealing entry points in buildings, using rodent control devices, and securing food and waste in tightly sealed containers. In addition, although there are currently no widely available vaccines to exist, emerging research demonstrates the potential of it happening. Dr. Hooper, an inventor of multiple hantavirus vaccine patents owned by the U.S. government, and his colleagues have developed a DNA vaccine for the Andes virus (Emily Anthes). The researchers found that over 80% of initial participants produced neutralizing antibodies, indicating promising progress.

Increased government funding and international collaboration could accelerate vaccine development, transforming the animal initiative from passive observation into active prevention.

3.3 Improving Environmental Safety and Worker Protection

Waste management and sanitation play a crucial role in reducing potential outbreaks, but sanitation workers are left exposed to higher risks of infection. To mitigate this, stricter safety protocols should be implemented. For example, both the CDC (CDC) and the Canadian health authorities (Canada) recommend ventilating contaminated spaces before cleaning and using protective equipment such as gloves and N95 respirators. Additionally, proper methods like using bleach solutions or equipping advanced technologies such as ionized hydrogen peroxide can significantly reduce viral presence. These measures improve sanitation effectiveness but also protect cleaners from inadvertently spreading the virus to other areas.

3.4 Overall Comments on Existing Frameworks and Potential Future Actions

The Pearl River Delta's 'One Health' framework does provide a strong foundation for hantavirus prevention, but its limitations highlight the need for a more balanced approach that includes both prevention and response. By integrating outbreak management protocols, prioritizing rodent-human separation strategies, and enhancing environmental safety measures, the framework can evolve into a more comprehensive and resilient system for future zoonotic threats.

4. Conclusion

Among different public health approaches, the One Health approach is appropriate to a limited extent, as the current implementation is centered on surveillance and prevention rather than active response and intervention. Therefore, the main issue is the gap between preventing risk and being prepared to act once risk surfaces. Effective policy should integrate surveillance, prevention, and response, rather than treating them separately, to maximize the preparedness and control of hantavirus in the GBA.

Bibliography

Alam, Noore, et al. "The Pearl River Declaration: A Timely Call for Enhancing Health Security through Fostering a Regional One Health Collaboration in the Asia-Pacific."

Globalization and Health, vol. 16, no. 1, 7 Sept. 2020,

<https://doi.org/10.1186/s12992-020-00606-y>. Accessed 22 Mar. 2024.

Canada, Public Health Agency of. "Prevention of a Hantavirus Infection." *Aem*, 27 Jan. 2015,

<https://www.canada.ca/en/public-health/services/diseases/hantaviruses/prevention-hantavirus-infection.html>.

CDC. "About Andes Virus." *Hantavirus*, 29 May 2026,

<https://www.cdc.gov/hantavirus/about/andesvirus.html>. Accessed 25 June 2026.

CDC. "Hantavirus Prevention." *Hantavirus*, 4 June 2024,

www.cdc.gov/hantavirus/prevention/index.html.

CDC. "How to Clean up After Rodents." *Healthy Pets, Healthy People*, 2024,

<https://www.cdc.gov/healthy-pets/rodent-control/clean-up.html>.

Emily Anthes . "Hantavirus Vaccines and Treatments Are in the Pipeline." *California*

NanoSystems Institute - Leveraging Public and Private Investment for Nanoscience

Research at the Interface Between Disciplines, 9 May 2026,

<https://cnsi.ucla.edu/may-9-2026-hantavirus-vaccines-and-treatments-are-in-the-pipeline/>

"Hantavirus Cluster Linked to Cruise Ship Travel, Multi-Country." *Who.Int*, 2024,

<https://www.who.int/emergencies/disease-outbreak-news/item/2026-DON601?utm>.

Accessed 25 June 2026.

Koch, Philipp, et al. "Effects of Agricultural Land Use and Climate Change on

Abundance and Demography Differ between Two Common Small Mammal Species."

Science of The Total Environment, vol. 1019, 18 Feb. 2026, p. 181518,

<https://www.sciencedirect.com/science/article/pii/S0048969726001786>,

10.1016/j.scitotenv.2026.181518.

“Threat Assessment Brief – Hantavirus-Associated Cluster of Illness on a Cruise Ship: ECDC Assessment and Recommendations.” *European Centre for Disease Prevention and Control*, 6 May 2026,

<https://www.ecdc.europa.eu/en/publications-data/threat-assessment-brief-hantavirus-associated-cluster-illness-cruise-ship-ecdc>. Accessed 25 June 2026.

UCHealth. “Take Precautions with Hantavirus. Coloradans and New Mexicans Are at Higher Risk for This Rare Disease.” *UCHealth Today*, 8 Mar. 2025, www.uchealth.org/today/take-precautions-with-hantavirus/.

Wang, Qiu-wei, et al. “Genetic and Hosts Characterization of Hantaviruses in Port Areas in Hainan Province, P. R. China.” *PLOS ONE*, vol. 17, no. 3, 3 Mar. 2022, p. e0264859, <https://doi.org/10.1371/journal.pone.0264859>.

World Bank Group. “Cleaning up China’s Polluted Pearl River.” *World Bank*, 26 May 2016, www.worldbank.org/en/results/2016/05/26/cleaning-up-china-polluted-pearl-river.

World Health Organization . “Hantavirus .” *Who.Int*, 2025, <https://www.who.int/news-room/fact-sheets/detail/hantavirus>.

Worrell, Georgia. “The Two Possible Causes for the Cruise Ship Hantavirus Outbreak — One Is Disgusting, the Other Terrifying.” *New York Post*, 5 May 2026, <https://nypost.com/2026/05/05/world-news/the-disgusting-terrifying-causes-of-mv-hondius-cruise-ship-hantavirus-outbreak/>. Accessed 25 June 2026.

Yun-xia, GAO. “Investigation of Yersinia Pestis and Hantavirus Carried by Small Mammal Hosts at Guangdong Entry-Exit Ports.” *Chinese Journal of Vector Biology and Control*, vol. 27, no. 2, 20 Apr. 2016, pp. 137–140, <http://www.bmsw.net.cn/EN/abstract/abstract14657.shtml>, 10.11853/j.issn.1003.8280.2016.02.011. Accessed 12 July 2026.

吴丽娜, et al. “深圳市2015—2023年肾综合征出血热患者汉坦病毒基因特征.” *中华实验和临床病毒学杂志*, vol. 39, no. 03, 30 June 2025, pp. 324–332,

[https://rs.yiigle.com/cmaid/1546860, 10.3760/cma.j.cn112866-20250213-00030](https://rs.yiigle.com/cmaid/1546860,10.3760/cma.j.cn112866-20250213-00030).

Accessed 12 July 2026.